The Plant Journal (1998) **14**(6), 765–769

Author index

Adam, G. *see* Mathur, J.
Alarco, A.-M. *see* St-Pierre, B.
Alonso, J.C. *see* Ritt, C.
Alonso-Blanco, C., Peeters, A.J.M., Koornneef, M., Lister, C., Dean, C., van den Bosch, N., Pot, J. and Kuiper, M.T.R. *Development of an AFLP based linkage map of Ler, Col and Cvi* Arabidopsis thaliana *ecotypes and construction of a Ler/Cvi recombinant inbred line population* 259
Amasino, R.M. *see* Michaels, S.D.
Amselem, J. *see* Desprez, T.
Andrews, T.J. *see* Hammond, E.T.
Aoyama, T. *see* McNellis, T.W.
Apel, K. *see* Vignutelli, A.
Aragon-Alcaide, L., Beven, A., Moore, G. and Shaw, P. *The use of vibratome sections of cereal spikelets to study anther development and meiosis* 503
Avelange-Macherel, M.-H. and Joyard, J. *Cloning and functional expression of* AtCOQ3, *the* Arabidopsis *homologue of the yeast* COQ3 *gene, encoding a methyltransferase from plant mitochondria involved in ubiquinone biosynthesis* 203
Averill, R.H, Bailey-Serres, J. and Kruger, N.J. *Co-operation between cytosolic and plastidic oxidative pentose phosphate pathways revealed by 6-phosphogluconate dehydrogenase-deficient genotypes of maize* 449

Bach, T.J. *see* Hemmerlin, A.
Backhaus, R.A. *see* Chen, H.-C.
Bailey-Serres, J. *see* Averill, R.H
Barakate, A. *see* Halpin, C.
Batard, Y., LeRet, M., Schalk, M., Robineau, T., Durst, F. and Werck-Reichhart, D. *Molecular cloning and functional expression in yeast of CYP76B1, a xenobiotic-inducible 7-ethoxycoumarin* O-*de-ethylase from* Helianthus tuberosus 111
Battey, N. *see* Pouteau, S.
Beachy, R.N. *see* Heinlein, M.
Bélanger, R.R. *see* Benhamou, N.
Bellini, C. *see* Delarue, M.
Benfey, P.N. *see* Fukaki, H.
Benhamou, N. and Bélanger, R.R. *Induction of systemic resistance to* Pythium *damping-off in cucumber plants by benzothiadiazole: ultrastructure and cytochemistry of the host response* 13
Benito, M.J. *see* Romero, I.
Bernhardt, J., Stich, K., Schwarz-Sommer, Z., Saedler, H. and Wienand, U. *Molecular analysis of a second functional* A1 *gene* (dihydroflavonol 4-reductase) *in* Zea mays 483
Beven, A. *see* Aragon-Alcaide, L.
Beynon, J.L. *see* Speulman, E.
Binarová, P., Hause, B., Doležel, J. and Dráber, P. *Association of γ-tubulin with kinetochore/centromeric region of plant chromosomes* 751
Blackman, L.M. and Overall, R.L. *Immunolocalisation of the cytoskeleton to plasmodesmata of* Chara corallina 733
Blein, J.-P. *see* Goudet, C.
Bohlmann, H. *see* Vignutelli, A.
van den Bosch, N. *see* Alonso-Blanco, C.
Bouchez, D. *see* Camilleri, C.
Bouchez, D. *see* Speulman, E.
Boutry, M. *see* Lukaszewicz, M.
Bouvier, F. *see* Kumagai, M.H.
Bowles, D.J. *see* O'Donnell, P.J.
Brändle, R. *see* Tadege, M.
Brandstädter, J. *see* Lazarova, G.I.
Bray, C.M. *see* Taylor, R.M.
Bressan, R.A. *see* Koiwa, H.
Browning, K.S. *see* Gallie, D.R.
Brunner, F., Stintzi, A., Fritig, B. and Legrand, M. *Substrate specificities of tobacco chitinases* 225
Buchala, A. *see* Schweizer, P.

Caboche, M. *see* Camilleri, C.
Caboche, M. *see* Delarue, M.
Caboche, M. *see* Desprez, T.
Caboche, M. *see* Krapp, A.
Cai, X.-L., Wang, Z.-Y., Xing, Y.-Y., Zhang, J.-L. and Hong, M.-M. *Aberrant splicing of intron 1 leads to the heterogeneous 5′ UTR and decreased expression of* waxy *gene in rice cultivars of intermediate amylose content* 459
Calder, G. *see* Hussey, P.
Calvert, C.M. *see* O'Donnell, P.J.
Camara, B. *see* Kumagai, M.H.
Camilleri, C., Lafleuriel, J., Macadré, C., Varoquaux, F., Parmentier, Y., Picard, G., Caboche, M. and Bouchez, D. *A YAC contig map of* Arabidopsis thaliana *chromosome 3* 633
Carrington, J.C. *see* Mahajan, S.K.
Carrington, J.C., Jensen, P.E. and Schaad, M.C. *Genetic evidence for an essential role for potyvirus CI protein in cell-to-cell movement* 393
Chabbert, B. *see* Halpin, C.
Chantler, S.E. *see* Laughlin, M.J.
Chen, H.-C., Klein, A., Xiang, M., Backhaus, R.A. and Kuntz, M. *Drought- and wound-induced expression in leaves of a gene encoding a chromoplast carotenoid-associated protein* 317
Chisholm, S.T. *see* Mahajan, S.K.
Chojecki, J. *see* Halpin, C.
Chory, J. *see* Neff, M.M.
Christopher, D.A and Hoffer, P.H. *DET1 represses a chloroplast blue light-responsive promoter in a developmental and tissue-specific mannner in* Arabidopsis thaliana 1
Chua, N.-H. *see* McNellis, T.W.
Clary, D. *see* Kumagai, M.H.
Coen, E. *see* Pouteau, S.
Conkling, M.A. *see* Kjemtrup, S.
Conrath, U. *see* Thulke, O.
Cordonnier-Pratt, M.-M. *see* Hauser, B.A.
Cordonnier-Pratt, M.-M. *see* Lazarova, G.I.
Cormack, R.S., Hahlbrock, K. and Somssich, I.E. *Isolation of putative plant transcriptional coactivators using a modified two-hybrid system incorporating a GFP reporter gene* 685
Cornelissen, M. *see* Meulewaeter, F.

D'Auria, J.C. *see* Dudareva, N.
Daniel-Vedele, F. *see* Krapp, A.
Danthinne, X. *see* Meulewaeter, F.
Datta, K. *see* Reddy, P.M.
Datta, S.K. *see* Reddy, P.M.
Davies, D.R. *see* Smertenko, A.P.
De Luca, V. *see* St-Pierre, B.
Dean, C. *see* Alonso-Blanco, C.
Deji, A. *see* Sakakibara, H.
Delarue, M., Prinsen, E., Van Onckelen, H., Caboche, M. and

© 1998 Blackwell Science Ltd

Bellini, C. Sur2 *mutations of* Arabidopsis thaliana *define a new locus involved in the control of auxin homeostasis* 603
Desprez, T., Amselem, J., Caboche, M. and Höfte, H. *Differential gene expression in* Arabidopsis *monitored using cDNA arrays* 643
Djordjevic, M.A. *see* Mathesius, U.
Doležel, J. *see* Binarová, P.
Dorans, A. *see* O'Donnell, P.J.
Dráber, P. *see* Binarová, P.
Dudareva, N., D'Auria, J.C., Nam, K.H., Raguso, R.A. and Pichersky, E. *Acetyl-CoA:benzylalcohol acetyltransferase – an enzyme involved in floral scent production in* Clarkia breweri 297
Dudler, R. *see* Schweizer, P.
Durst, F. *see* Batard, Y.

Edwards, K. *see* Halpin, C.
Endo, T.R. *see* Schubert, I.

Fernández, S. *see* Ritt, C.
Fischer, W.N. *see* Hirner, B.
Foxon, G.A. *see* Halpin, C.
Fraisier, V. *see* Krapp, A.
Fritig, B. *see* Brunner, F.
Frommer, W.B. *see* Hirner, B.
Fuchs, J. *see* Schubert, I.
Fuertes, A. *see* Romero, I.
Fujioka, S. *see* Mathur, J.
Fujisawa, H. *see* Fukaki, H.
Fukaki, H., Wysocka-Diller, J., Kato, T., Fujisawa, H., Benfey, P.N. and Tasaka, M. *Genetic evidence that the endodermis is essential for shoot gravitropism in* Arabidopsis thaliana 425

Gallie, D.R., Le, H., Tanguay, R.L. and Browning, K.S. *Translation initiation factors are differentially regulated in cereals during development and following heat shock* 715
García-Martínez, J.L. *see* Rodrigo, M.J.
Goddijn, O. and Smeekens, S. *Sensing trehalose biosynthesis in plants* 143
Gojon, A. *see* Krapp, A.
Goudet, C., Véry, A.-A., Milat, M.-L., Ildefonse, M., Thibaud, J.-B., Sentenac, H. and Blein, J.-P. *Magnesium ions promote assembly of channel-like structures from beticolin 0, a non-peptide fungal toxin purified from* Cercospora beticola 359
Grasser, K.D. *see* Ritt, C.
Grimm, R. *see* Ritt, C.
Grote, K. *see* Kaldenhoff, R.
Guan, H. *see* Knight, M.E.

Haake, V., Zrenner, R., Sonnewald, U. and Stitt, M. *A moderate decrease of plastid aldolase activity inhibits photosynthesis, alters the levels of sugars and starch, and inhibits growth of potato plants* 147
van Haaren, M.J.J. *see* Stuurman, J.
Hahlbrock, K. *see* Cormack, R.S.
Halford, N.G. *see* Purcell, P.C.
Hall, T.C. *see* Kumpatla, S.P.
Halpin, C., Holt, K., Chojecki, J., Oliver, D., Chabbert, B., Monties, B., Edwards, K., Barakate, A. and Foxon, G.A. Brown-midrib *maize* (bm1) *– a mutation affecting the cinnamyl alcohol dehydrogenase gene* 545
Hamada, S. *see* Torres, M.A.
Hamer, M.J. *see* Taylor, R.M.
Hammond, E.T., Andrews, T.J., Mott, K.A. and Woodrow, I.E. *Regulation of Rubisco activation in antisense plants of tobacco containing reduced levels of Rubisco activase* 101
Hammond-Kosack, K.E. *see* Torres, M.A.
Handa, A.K. *see* Mishra, K.K.
Harn, C. *see* Knight, M.E.
Hasegawa, P.M. *see* Koiwa, H.
Hause, B. *see* Binarová, P.
Hauser, B.A., Cordonnier-Pratt, M.-M. and Pratt, L.H. *Temporal and photoregulated expression of five tomato phytochrome genes* 431
He, D. *see* He, Z.-H.
He, Z.-H., He, D. and Kohorn, B.D. *Requirement for the induced expression of a cell wall associated receptor kinase for survival during the pathogen response* 55
Heinlein, M., Wood, M.R., Thiel, T. and Beachy, R.N. *Targeting and modification of prokaryotic cell–cell junctions by tobacco mosaic virus cell-to-cell movement protein* 345
Hemmerlin, A. and Bach, T.J. *Effects of mevinolin on cell cycle progression and viability of tobacco BY-2 cells* 65
Hernandez, R.J. *see* Reddy, P.M.
Higgs, D.C., Kuras, R., Kindle, K.L., Wollman, F.-A. and Stern, D.B. *Inversions in the* Chlamydomonas *chloroplast genome suppress a* petD *5′ untranslated region deletion by creating functional chimeric mRNAs* 663
Hille, J. *see* Takken, F.L.W.
Hirner, B., Fischer, W.N., Rentsch, D., Kwart, M. and Frommer, W.B. *Developmental control of H^+/amino acid permease gene expression during seed development of* Arabidopsis 535
Hoffer, P.H. *see* Christopher, D.A.
Höfte, H. *see* Desprez, T.
Holt, K. *see* Halpin, C.
Holub, E.B. *see* Speulman, E.
Hong, M.-M. *see* Cai, X.-L.
Horvath, D. *see* McNellis, T.W.
Hughes, M.A. *see* Keresztessy, Z.
Hussey, P., Yuan, M., Calder, G., Khan, S. and Lloyd, C.W. *Microinjection of pollen-specific actin-depolymerizing factor, ZmADF1, reorientates F-actin strands in* Tradescantia *stamen hair cells* 353
Hussey, P.J. *see* Smertenko, A.P.

Ildefonse, M. *see* Goudet, C.
Inzé, D. *see* Kurepa, J.
Ishii, R. *see* Uchino, A.

Jensen, P.E. *see* Carrington, J.C.
Jérouville, B. *see* Lukaszewicz, M.
Jiang, C.-J. *see* Smertenko, A.P.
Jones, J.D.G. *see* Torres, M.A.
Joyard, J. *see* Avelange-Macherel, M.-H.

Kaldenhoff, R., Grote, K., Zhu, J.J. and Zimmermann, U. *Significance of plasmalemma aquaporins for water-transport in* Arabidopsis thaliana 121
Kato, T. *see* Fukaki, H.
Keeling, P.L. *see* Knight, M.E.
Keller, Y. *see* Kumagai, M.H.
Kende, H. *see* Peck, S.C.
Kendrick, R.E. *see* Lazarova, G.I.
Kerckhoffs, L.H.J. *see* Lazarova, G.I.
Keresztessy, Z. and Hughes, M.A. *Homology modelling and molecular dynamics aided analysis of ligand complexes*

demonstrates functional properties of lipid-transfer proteins encoded by the barley low-temperature-inducible gene family, blt4 523
Khan, S. *see* Hussey, P.
Kindle, K.L. *see* Higgs, D.C.
Kjemtrup, S., Sampson, K.S., Peele, C.G., Nguyen, L.V., Conkling, M.A., Thompson, W.F. and Robertson, D. *Gene silencing from plant DNA carried by a Geminivirus* 91
Klein, A. *see* Chen, H.-C.
Knight, M.E., Harn, C., Lilley, C.E.R., Guan, H., Singletary, G.W., Mu-Forster, C., Wasserman, B.P. and Keeling, P.L. *Molecular cloning of starch synthase I from maize (W64) endosperm and expression in* Escherichia coli 613
Kohorn, B.D. *see* He, Z.-H.
Koiwa, H., Shade, R.E., Zhu-Salzman, K., Subramanian, L., Murdock, L.L., Nielsen, S.S., Bressan, R.A. and Hasegawa, P.M. *Phage display selection can differentiate insecticidal activity of soybean cystatins* 371
Koncz, C. *see* Mathur, J.
Koornneef, M. *see* Alonso-Blanco, C.
Krapp, A., Fraisier, V., Scheible, W.-R., Quesada, A., Gojon, A., Stitt, M., Caboche, M. and Daniel-Vedele, F. *Expression studies of* Nrt2:1Np, *a putative high-affinity nitrate transporter: evidence for its role in nitrate uptake* 723
Kruger, N.J. *see* Averill, R.H
Kuhlemeier, C. *see* Tadege, M.
Kuiper, M.T.R. *see* Alonso-Blanco, C.
Kumagai, M.H., Keller, Y., Bouvier, F., Clary, D. and Camara, B. *Functional integration of non-native carotenoids into chloroplasts by viral-derived expression of capsanthin–capsorubin synthase in* Nicotiana benthamiana 305
Kumpatla, S.P. and Hall, T.C. *Recurrent onset of epigenetic silencing in rice harboring a multi-copy transgene* 129
Kuntz, M. *see* Chen, H.-C.
Kuras, R. *see* Higgs, D.C.
Kurepa, J., Smalle, J., Van Montagu, M. and Inzé, D. *Oxidative stress tolerance and longevity in* Arabidopsis*: the late-flowering mutant* gigantea *is tolerant to paraquat* 759
Kwart, M. *see* Hirner, B.

Ladha, J.K. *see* Reddy, P.M.
Laflamme, P. *see* St-Pierre, B.
Lafleuriel, J. *see* Camilleri, C.
Laughlin, M.J., Chantler, S.E. and Okita, T.W. *N- and C-terminal peptide sequences are essential for enzyme assembly, allosteric, and/or catalytic properties of ADP-glucose pyrophosphorylase* 159
Lazarova, G.I., Kerckhoffs, L.H.J., Brandstädter, J., Matsui, M., Kendrick, R.E., Cordonnier-Pratt, M.-M. and Pratt, L.H. *Molecular analysis of* PHYA *in wild-type and phytochrome A-deficient mutants of tomato* 653
Le, H. *see* Gallie, D.R.
Legrand, M. *see* Brunner, F.
LeRet, M. *see* Batard, Y.
Leyva, A. *see* Romero, I.
Li, K. *see* McNellis, T.W.
Lilley, C.E.R. *see* Knight, M.E.
Lister, C. *see* Alonso-Blanco, C.
Lloyd, C.W. *see* Hussey, P.
López-Díaz, I. *see* Rodrigo, M.J.
Lukaszewicz, M., Jérouville, B. and Boutry, M. *Signs of translational regulation within the transcript leader of a plant plasma membrane H^+-ATPase gene* 413
Lumbreras, V., Stevens, D.R. and Purton, S. *Efficient foreign gene expression in* Chlamydomonas reinhardtii *mediated by an endogenous intron* 441

Maas, C. *see* Mathur, J.
Macadré, C. *see* Camilleri, C.
Machida, C. *see* Torres, M.A.
Mahajan, S.K., Chisholm, S.T., Whitham, S.A. and Carrington, J.C. *Identification and characterization of a locus (*RTM1*) that restricts long-distance movement of tobacco etch virus in* Arabidopsis thaliana 177
Maillet, F. *see* Reddy, P.M.
Malpica, J.M. *see* Romero, I.
Mansfield, T.A. *see* Véry, A.-A.
Mathesius, U., Schlaman, H.R.M., Spaink, H.P., Sautter, C., Rolfe, B.G. and Djordjevic, M.A. *Auxin transport inhibition precedes root nodule formation in white clover roots and is regulated by flavonoids and derivatives of chitin oligosaccharides* 23
Mathur, J., Molnár, G., Fujioka, S., Takatsuto, S., Sakurai, A., Yokota, T., Adam, G., Voigt, B., Nagy, F., Maas, C., Schell, J., Koncz, C. and Szekeres, M. *Transcription of the* Arabidopsis CPD *gene, encoding a steroidogenic cytochrome P450, is negatively controlled by brassinosteroids* 593
Matsui, M. *see* Lazarova, G.I.
Matsuoka, M. *see* Uchino, A.
McNellis, T.W., Mudgett, M.B., Li, K., Aoyama, T., Horvath, D., Chua, N.-H. and Staskawicz, B.J. *Glucocorticoid-inducible expression of a bacterial avirulence gene in transgenic* Arabidopsis *induces hypersensitive cell death* 247
Métraux, J.-P. *see* Schweizer, P.
Meulewaeter, F., Danthinne, X., Van Montagu, M. and Cornelissen, M. *5′- and 3′-sequences of satellite tobacco necrosis virus RNA promoting translation in tobacco* 169
Michaels, S.D. and Amasino, R.M. *A robust method for detecting single-nucleotide changes as polymorphic markers by PCR* 381
Micol, J.L. *see* Ponce, M.R.
Milat, M.-L. *see* Goudet, C.
Mishra, K.K. and Handa, A.K. *Post-transcriptional silencing of pectin methylesterase gene in transgenic tomato fruits results from impaired pre-mRNA processing* 583
Molnár, G. *see* Mathur, J.
Monties, B. *see* Halpin, C.
Moore, G. *see* Aragon-Alcaide, L.
Mott, K.A. *see* Hammond, E.T.
Mudgett, M.B. *see* McNellis, T.W.
Mu-Forster, C. *see* Knight, M.E.
Murdock, L.L. *see* Koiwa, H.

Nagy, F. *see* Mathur, J.
Nam, K.H. *see* Dudareva, N.
Napoli, C.A. *see* Snowden, K.C.
Neff, J.D. *see* Neff, M.M.
Neff, M.M., Neff, J.D., Chory, J. and Pepper, A.E. *dCAPS, a simple technique for the genetic analysis of single nucleotide polymorphisms: experimental applications in* Arabidopsis thaliana *genetics* 387
Nemoto, K. *see* Uchino, A.
Nguyen, L.V. *see* Kjemtrup, S.
Nicholls, D. *see* Pouteau, S.
Nielsen, S.S. *see* Koiwa, H.
Nijkamp, H.J.J. *see* Stuurman, J.
Nijkamp, H.J.J. *see* Takken, F.L.W.

O'Donnell, P.J., Truesdale, M.R., Calvert, C.M., Dorans, A.,

Roberts, M.R. and Bowles, D.J. *A novel tomato gene that rapidly responds to wound- and pathogen-related signals* 137
Okita, T.W. *see* Laughlin, M.J.
Oliva, N.P. *see* Reddy, P.M.
Oliver, D. *see* Halpin, C.
Onouchi, H. *see* Torres, M.A.
Overall, R.L. *see* Blackman, L.M.

Parmentier, Y. *see* Camilleri, C.
Paz-Ares, J. *see* Romero, I.
Pearce, M.L. and Slabas, A.R. *Phosphatidate phosphatase from avocado* (Persea americana) *– purification, substrate specificity and possible metabolic implications for the Kennedy pathway and cell signalling in plants* 555
Peck, S.C. and Kende, H. *A gene encoding 1-aminocyclopropane-1-carboxylate (ACC) synthase produces two transcripts: elucidation of a conserved response* 573
Peele, C.G. *see* Kjemtrup, S.
Peeters, A.J.M. *see* Alonso-Blanco, C.
Pepper, A.E. *see* Neff, M.M.
Picard, G. *see* Camilleri, C.
Pichersky, E. *see* Dudareva, N.
Ponce, M.R., Quesada, V. and Micol, J.L. *Rapid discrimination of sequences flanking and within T-DNA insertions in the* Arabidopsis *genome* 497
Pot, J. *see* Alonso-Blanco, C.
Pouteau, S., Nicholls, D., Tooke, F., Coen, E. and Battey, N. *Transcription pattern of a* FIM *homologue in* Impatiens *during floral development and reversion* 235
Pratt, L.H. *see* Hauser, B.A.
Pratt, L.H. *see* Lazarova, G.I.
Prinsen, E. *see* Delarue, M.
Purcell, P.C., Smith, A.M. and Halford, N.G. *Antisense expression of a sucrose non-fermenting-1-related protein kinase sequence in potato results in decreased expression of sucrose synthase in tubers and loss of sucrose-inducibility of sucrose synthase transcripts in leaves* 195
Purton, S. *see* Lumbreras, V.

Quesada, A. *see* Krapp, A.
Quesada, V. *see* Ponce, M.R.

Radford, J.E. and White, R.G. *Localisation of a myosin-like protein to plasmodesmata* 743
Raguso, R.A. *see* Dudareva, N.
Ramos, M.C. *see* Reddy, P.M.
Reddy, P.M., Ladha, J.K., Ramos, M.C., Maillet, F., Hernandez, R.J., Torrizo, L.B., Oliva, N.P., Datta, S.K. and Datta, K. *Rhizobial lipochitooligosaccharide nodulation factors activate expression of the legume early nodulin gene* ENOD12 *in rice* 693
Rentsch, D. *see* Hirner, B.
Ritt, C., Grimm, R., Fernández, S., Alonso, J.C. and Grasser, K.D. *Four differently chromatin-associated maize HMG domain proteins modulate DNA structure and act as architectural elements in nucleoprotein complexes* 623
Roberts, M.R. *see* O'Donnell, P.J.
Robertson, D. *see* Kjemtrup, S.
Robineau, T. *see* Batard, Y.
Robinson, M.F. *see* Véry, A.-A.
Rodrigo, M.J., López-Díaz, I. and García-Martínez, J.L. *The characterization of* gio, *a new pea mutant, shows the role of indoleacetic acid in the control of fruit development by the apical shoot* 83
Rolfe, B.G. *see* Mathesius, U.
Romero, I., Fuertes, A., Benito, M.J., Malpica, J.M., Leyva, A. and Paz-Ares, J. *More than 80*R2R3-MYB *regulatory genes in the genome of* Arabidopsis thaliana 273
Rosamond, J. *see* Taylor, R.M.

Saedler, H. *see* Bernhardt, J.
Sakakibara, H., Suzuki, M., Takei, K., Deji, A., Taniguchi, M. and Sugiyama, T. *A response-regulator homologue possibly involved in nitrogen signal transduction mediated by cytokinin in maize* 337
Sakurai, A. *see* Mathur, J.
Samejima, M. *see* Uchino, A.
Sampson, K.S. *see* Kjemtrup, S.
Sanders, D. *see* Véry, A.-A.
Sautter, C. *see* Mathesius, U.
Schaad, M.C. *see* Carrington, J.C.
Schalk, M. *see* Batard, Y.
Scheible, W.-R. *see* Krapp, A.
Schell, J. *see* Mathur, J.
Schipper, D. *see* Takken, F.L.W.
Schlaman, H.R.M. *see* Mathesius, U.
Schubert, I., Shi, F., Fuchs, J. and Endo, T.R. *An efficient screening for terminal deletions and translocations of barley chromosomes added to common wheat* 489
Schwarz-Sommer, Z. *see* Bernhardt, J.
Schweizer, P., Buchala, A., Dudler, R. and Métraux, J.-P. *Induced systemic resistance in wounded rice plants* 475
Sentenac, H. *see* Goudet, C.
Sentoku, N. *see* Uchino, A.
Shade, R.E. *see* Koiwa, H.
Shaw, P. *see* Aragon-Alcaide, L.
Shi, F. *see* Schubert, I.
Simmons, N.J. *see* Smertenko, A.P.
Singletary, G.W. *see* Knight, M.E.
Slabas, A.R. *see* Pearce, M.L.
Smalle, J. *see* Kurepa, J.
Smeekens, S. *see* Goddijn, O.
Smertenko, A.P., Jiang, C.-J., Simmons, N.J., Weeds, A.G., Davies, D.R. and Hussey, P.J. *Ser6 in the maize actin-depolymerizing factor, ZmADF3, is phosphorylated by a calcium-stimulated protein kinase and is essential for the control of functional activity* 187
Smith, A.M. *see* Purcell, P.C.
Snowden, K.C. and Napoli, C.A. Psl*: a novel* Spm*-like transposable element from* Petunia hybrida 43
Somssich, I.E. *see* Cormack, R.S.
Sonnewald, U. *see* Haake, V.
Spaink, H.P. *see* Mathesius, U.
Speulman, E., Bouchez, D., Holub, E.B. and Beynon, J.L. *Disease resistance gene homologs correlate with disease resistance loci of* Arabidopsis thaliana 467
Staskawicz, B.J. *see* McNellis, T.W.
Stern, D.B. *see* Higgs, D.C.
Stevens, D.R. *see* Lumbreras, V.
Stich, K. *see* Bernhardt, J.
Stintzi, A. *see* Brunner, F.
Stitt, M. *see* Haake, V.
Stitt, M. *see* Krapp, A.
St-Pierre, B., Laflamme, P., Alarco, A.-M. and De Luca, V. *The terminal O-acetyltransferase involved in vindoline biosynthesis defines a new class of proteins responsible for coenzyme A-dependent acyl transfer* 703
Stuurman, J., Nijkamp, H.J.J. and van Haaren, M.J.J. *Molecular insertion-site selectivity of* Ds *in tomato* 215

Subramanian, L. *see* Koiwa, H.
Sugiyama, T. *see* Sakakibara, H.
Suzuki, A. *see* Wu, C.-Y.
Suzuki, M. *see* Sakakibara, H.
Szekeres, M. *see* Mathur, J.

Tadege, M., Brändle, R. and Kuhlemeier, C. *Anoxia tolerance in tobacco roots: effect of overexpression of pyruvate decarboxylase* 327
Takaiwa, F. *see* Wu, C.-Y.
Takatsuto, S. *see* Mathur, J.
Takei, K. *see* Sakakibara, H.
Takken, F.L.W., Schipper, D., Nijkamp, H.J.J. and Hille, J. *Identification and* Ds*-tagged isolation of a new gene at the* Cf*-4 locus of tomato involved in disease resistance to* Cladosporium fulvum *race 5* 401
Tanguay, R.L. *see* Gallie, D.R.
Taniguchi, M. *see* Sakakibara, H.
Tasaka, M. *see* Fukaki, H.
Taylor, R.M., Hamer, M.J., Rosamond, J. and Bray, C.M. *Molecular cloning and functional analysis of the* Arabidopsis thaliana *DNA ligase I homologue* 75
Thibaud, J.-B. *see* Goudet, C.
Thiel, T. *see* Heinlein, M.
Thompson, W.F. *see* Kjemtrup, S.
Thulke, O. and Conrath, U. *Salicylic acid has a dual role in the activation of defence-related genes in parsley* 35
Tooke, F. *see* Pouteau, S.
Torres, M.A., Onouchi, H., Hamada, S., Machida, C., Hammond-Kosack, K.E. and Jones, J.D.G. *Six* Arabidopsis thaliana *homologues of the human respiratory burst oxidase (*gp91^{phox}*)* 365
Torrizo, L.B. *see* Reddy, P.M.
Truesdale, M.R. *see* O'Donnell, P.J.

Uchino, A., Sentoku, N., Nemoto, K., Ishii, R., Samejima, M. and Matsuoka, M. *C4-type gene expression is not directly dependent on Kranz anatomy in an amphibious sedge* Eleocharis vivipara *Link* 565

Van Montagu, M. *see* Kurepa, J.
Van Montagu, M. *see* Meulewaeter, F.
Van Onckelen, H. *see* Delarue, M.
Varoquaux, F. *see* Camilleri, C.
Véry, A.-A. *see* Goudet, C.
Véry, A.-A., Robinson, M.F., Mansfield, T.A. and Sanders, D. *Guard cell cation channels are involved in* Na^+*-induced stomatal closure in a halophyte* 509
Vignutelli, A., Wasternack, C., Apel, K. and Bohlmann, H. *Systemic and local induction of an* Arabidopsis *thionin gene by wounding and pathogens* 285
Voigt, B. *see* Mathur, J.

Wang, Z.-Y. *see* Cai, X.-L.
Washida, H. *see* Wu, C.-Y.
Wasserman, B.P. *see* Knight, M.E.
Wasternack, C. *see* Vignutelli, A.
Weeds, A.G. *see* Smertenko, A.P.
Werck-Reichhart, D. *see* Batard, Y.
White, R.G. *see* Radford, J.E.
Whitham, S.A. *see* Mahajan, S.K.
Wienand, U. *see* Bernhardt, J.
Wollman, F.-A. *see* Higgs, D.C.
Wood, M.R. *see* Heinlein, M.
Woodrow, I.E. *see* Hammond, E.T.
Wu, C.-Y., Suzuki, A., Washida, H. and Takaiwa, F. *The GCN4 motif in a rice glutelin gene is essential for endosperm-specific gene expression and is activated by Opaque-2 in transgenic rice plants* 673
Wysocka-Diller, J. *see* Fukaki, H.

Xiang, M. *see* Chen, H.-C.
Xing, Y.-Y. *see* Cai, X.-L.

Yokota, T. *see* Mathur, J.
Yuan, M. *see* Hussey, P.

Zhang, J.-L. *see* Cai, X.-L.
Zhu, J.J. *see* Kaldenhoff, R.
Zhu-Salzman, K. *see* Koiwa, H.
Zimmermann, U. *see* Kaldenhoff, R.
Zrenner, R. *see* Haake, V.

The Plant Journal (1998) **14**(6), 771–774

Subject index

aberrant splicing 459
abscisic acid 317
Ac/Ds 215
acetyltransferases 703
actin 733
actin filaments 353
actin-depolymerising factor 187, 353
activase 101
acyltransferase 297
ADP-glucose pyrophosphorylase 159
AFLP (amplified fragment polymorphism) 259
ageing 759
aldolase (plastid) 147
allosteric regulation 159
alternative splicing 653
alternative transcription 573
amino acid transport 535
1-aminocyclopropane-1-carboxylate (ACC) synthase 573
amphiphilic compounds 359
amylose 459
anoxia tolerance 327
anther development 503
anthocyanin biosynthesis 483
anti-sense expression 121
antisense 101, 147
apical dominance 83
aquaporin 121
Arabidopsis 55, 75, 259, 467, 497, 593
Arabidopsis mutants 603
Arabidopsis thaliana 177, 203, 273, 365, 425, 633, 759
Aster 509
auxin 573
auxin homeostasis 603
avirulence gene 247
avocado (*Persea americana*) 555
Avr4-recognition 401
avrRpt2 247

barley 523
bending 623
β-glucuronidase 535
bialaphos resistance 129
biochemistry 297
ble 441
blue light 1
brassinosteroid biosynthesis 593
Brown-midrib mutants 545
2,3-butanedione monoxime 743

C4 photosynthesis 565
Ca^{2+}-binding motif 365
calcium 359
callose 743
calmodulin 733
Calvin cycle 147
cap-independent translation 169
CAPS 381, 387
capsanthin-capsorubin synthase 305
Capsicum annuum 317
carbohydrate metabolism 195
carotenoid 305, 317
Catharanthus roseus 703
cDNA 297
cDNA clones 613
cell cycle 65
cell death 65, 247
cell signalling 555
cell wall 55
cell-to-cell communication 733
cell-to-cell movement 393
centromere 259
Chara corallina 733
chitinases 225
Chlamydomonas 441, 663
chloroplast 305, 317, 663
chloroplast *psbD* 1
chromatin 623
chromosome 3 633
chromosome deletions/translocations 489
chromosomes 751
ClC-library 467
cinnamyl alcohol dehydrogenase 545
Cladosporium fulvum 401
co-activator 685
cofilin 187
complementation 203
confocal microscopy 503
coq3 yeast mutant 203
coronatine 285
co-suppression 91, 583
Cre-*lox* 215
cryptochrome 1
cyanobacteria 345
cylindrical inclusion protein 393
cystatin 371
cysteine proteinase 371
cytochrome P450 111, 593
cytokinin 337
cytoplasmic streaming 353
cytosol 449

defense reactions 13
defense-related genes 35
degenerate oligonucleotide primers 467
2 deoxy-D-glucose 743
DET1 1
differential expression 643
differentiation 23
dihydroflavonol 4-reductase 483
dihydroxypolyprenyl benzoate 203
dimorphism 565
disease resistance genes 467
DNA-binding 623
DNA-binding proteins 273
DNA ligase I 75
DNA polymorphism 387
DNA structure 623
downy mildew 467

Eleocharis 565
elicitation 225
elicitor 13, 35

© 1998 Blackwell Science Ltd

embryo 535
endodermis 425
endogenous signal molecules 23
endosperm 535, 673
enhancer 441
ENOD12 expression 693
episomes 91
esters 297
ethanolic fermentation 327
7-ethoxycoumarin *O*-deethylase 111
expressed sequence tags 643
expression 159
expression instability 129

far-red light 653
feed-back control 593
FIMBRIATA 235
flower reversion 235
flowering time 759
flowers 297
fluorescence *in situ* hybridization 489
forage digestibility 545
fruit growth 83
fruit-set 83
FtsZ 345
functional analysis 75
Fusarium oxysporum 285

gas exchange 101
GCN4 motif 673
gene duplication 483
gene expression 195
gene family 431
gene regulation 337
gene silencing 583
genetic map 259, 633
genotype 381, 387
germination 175
GFP 685
gibberellins 83
glucocorticoid 247
glucosyl transferase 137
glutelin 673
gold cytochemistry 13
gp91^{phox} 365
gravity perception 425
guard cell 509
GUS 285

H^+-ATPase 413
heat shock 175
Helianthus tuberosus 111
helicase 393
high affinity nitrate transporter 723
high density arrays 643
HMG protein 623
HMG-CoA reductase 65
homology modelling 523
hot-spot 215
hybridisation 643
hypersensitive response 247

Impatiens 235
in situ hybridization 503
indole alkaloids 703
indoleacetic acid 83
induction 111
initiation factors 175
insect resistance 371
insertional mutagenesis 497
intron 441
ionic selectivity 359
IPCR 497

jasmonate 285
jasmonic acid 475

kinase 55
kinetochores 751
Ktanz anatomy 565

LDH/PDC pH-stat 327
leader 413
lignin 545
linkage 259
lipid binding 523
lipid-transfer protein 523
long-distance movement 177
low temperature 523
LRR 401
luciferase 91
lysozymes 225

Magnaporthe grisea (Hebert) Barr. 475
magnesium chelatase 91
maize 187, 449, 545
maize endosperm 613
mapping 381, 387
meiosis 503
methylation 129
mevalonate 65
mevinolin/lovastatin 65
molecular dynamics simulation 523
movement protein 345
mRNA abundance 431
myosin 733, 743

Na^+ uptake 509
NADPH oxidase 365
Nicotiana 101, 723
Nicotiana benthamiana 305
Nicotiana plumbaginifolia 413
nitrogen 337
nitrogen partitioning 535
Nod factors 693
nodulation 693
non-nodulating mutants 23
nucleoprotein structure 623

octadecanoid pathway 285
Opaque-2 673
organ identity 235
organogenesis 23
Oryza sativa cv Nohrin 29 475
oxidative pentose phosphate pathway 449
oxidative stress 759

palatability 459
paraquat 759
parsley cell culture 35

patch-clamp 509
pathogen resistance 137
pathogenesis 55
pathogenesis-related genes 475
pathogenesis-related proteins 35
pattern formation 235
PCR 381
PCR-based cloning 273
PDH/PDC-stat 327
peas 83, 573
Peronospora parasitica 467
petD 663
petunia 43
PFGE 215
phage display 371
phenolic compounds 13
phosphatidate phosphatase 555
phosphoenolpyruvate carboxylase 565
6-phosphogluconate dehydrogenase 449
phospholipid 555
phosphorylation 187, 195
photomorphogenesis 643
photomorphogenic mutant 653
photosynthesis 101, 147
phyllotaxis 235
physical map 633
physical mapping 489
phytochrome 431, 653
phytohormones 23
phytopathogenicity 359
phytotoxicity 359
pigment-protein complex 305
Pisum sativum 573
plant 685
plant cytoskeleton 353
plant defence 285
plant-pathogen interactions 225
plants 751
plasmalemma 121
plasmodesmata 345, 733, 743
pollination 297
polymorphism 381
posttranscriptional 583
potato 159
pre-mRNA 583
pre-mRNA splicing 653
pressure probe 121
PRHA 685
progeny methylation 129
promoter 535
protein kinase 187
protein synthesis 175
proteinase inhibitor 371
protoplast swelling assay 121
PR-proteins 225
psbM 663
Psl 43
purification 555
pyruvate decarboxylase 327

quinone 203

R2R3-MYB genes 273
radial organization 425
reactive oxygen species 365
receptor 55
recognition 693
recombinant enzyme 159
regulation 723
regulatory gene families 273
resistance 177
resistance-gene 401
response-regulator 337
Rhizobium meliloti 23
ribulose 1,5-bisphosphate carboxylase 565
rice 459, 673, 693
rice transgene 129
RNA stability 91, 663
RNase H mapping 573
RNA-splicing 583
root 449
root pathogen 13
RPS2 247
Rubisco 101

SA 55
S-adenosyl methionine methyl transferase 203
salicylic acid 35
salt tolerance 509
SCARECROW 425
scent 297
screening 489
secondary metabolism 297, 703
seed development 175
seed import 535
SHORT-ROOT 425
signalling 509
single nucleotide polymorphism 381
skotomorphogenesis 643
SNF1 195
Solanum tuberosum 195
soybean 371
starch 147
starch synthase 613
STNV 169
stress 317
structural barriers 13
sugar sensing 195
superoxide 317, 365
suppressor-mutator 43
symbiosis 693
systemic acquired resistance 35
systemic infection 177

T-DNA 497
3-D microscopy 503
tobacco 169
tobacco BY-2 cells 65
tobacco etch potyvirus 393
tobacco etch virus 177
tobacco mosaic virus 345
tobacco roots 327
tomato 137, 215, 401, 431, 653
tomato golden mosaic virus 91
tomato-fruit 583
Tradescantia stamen hair cells 353
transactivation 673
transcription 685
transcription factors 273
transcriptional regulation 593

transformation 441
transgene 583
transgene silencing 129
transgenic plants 195
translation 175, 413
transposable element 43
transposon tagging 401
triacylglycerol 555
tubulin 733
two-component system 337
two-hybrid 685

5′ untranslated region 459
uORF 413
3′-UTR 169
5′-UTR 169, 413

virus replication 393

water transport 121
waxy gene 459
wheat 503
wheat germ 169
wheat/barley addition lines 489
wound response 137

xenobiotics 111

ycf9 663
Yeast Artificial Chromosome (YAC) 633
yeast expression 111
γ-tubulin 751

Zea mays 337, 449, 483, 613